

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A two-part curing ~~high-durable~~ polyurethane elastomer composition comprising (i) a polyisocyanate component and (ii) an active hydrogen-containing ~~compound~~ component, the active hydrogen-containing ~~compound~~ component (ii) comprising (A) a polyol having a hydroxyl value of from 25 to 55 obtained by reacting a castor oil fatty acid, 12-hydroxystearic acid, or a condensate of ~~their fatty acids~~ castor oil fatty acid or 12-hydroxystearic acid, with a polyol (X) having a molecular weight of from 400 to 1,500, and (B) a polyol having a hydroxyl value of from 100 to 500 obtained by ring opening an epoxidized fatty acid ester with a polyhydric alcohol, wherein the proportion of the polyol (B) is from 5 to 50 parts by weight per 100 parts by weight of the polyol (A).

2. (Currently Amended) The two-part curing ~~high-durable~~ polyurethane elastomer composition as claimed in claim 1, wherein the polyol (X) is a polyester polyol obtained by condensing adipic acid and a dihydric alcohol with trimethylolpropane.

3. (Canceled)

4. (Currently Amended) The two-part curing ~~high-durable~~ polyurethane elastomer composition as claimed in claim 2, having hardness at 23°C of JIS A 90 or lower, and elongation at break of 50% or higher.

5. (Currently Amended) The two-part curing ~~high-durable~~ polyurethane elastomer composition as claimed in claim 1, having hardness at 23°C of JIS A 90 or lower, and elongation at break of 50% or higher.